

Filtro de MAC Address DIR-905L





Procedimentos para configuração do Filtro de MAC Address

1- Para realizar o procedimento de configuração de MAC Filter o computador deve estar conectado via cabo **Ethernet** em uma das portas **LAN** do DIR-905L, e o seu modem ADSL conectado à porta Internet do DIR-905L.



D-Link

2- Para acessar a página de configuração abra o Internet Explorer, digite na barra de endereços http://192.168.0.1 e tecle **Enter**.

~								X
(+))	🧯 http://192.168.0.1	,Q - → X	<i> New Tab</i>	×	Augentine a	6	2 6	7 🔅

No centro da tela abrirá os campos para autenticação.

Product Page : DIR-905L		Hardware Version : Ax	Firmware Version : 1.00
D.I.Stale			
D-LINK			
Log In			
Log in to the router :		-	
	User Name :		
	Password :		
	Log In		
		_	
WIRELESS			

O usuário e senha padrão do equipamento é: User Name: admin Password: (deixe em branco)

Clique apenas em Log In.



3- Clique em Setup Manual.

CURRENT NETWORK SETTING					
The current network settings and the connection status are displayed below. If you want to reconfigure your wireless settings, please click the "Configure" button. You can also enter advanced settings by clicking "Manual Setup".					
Internet Settings					
Internet Co	onnection : PPPoE	Status : Connected			
Window Collinso					
Network Nam	e (SSID) : DIR-905L	Status : Encryption Configure			
	Security : Auto (WPA or W	(PA2) - Personal			
Netv	vork Key : MydlinkMydlink				
Device Infe					
U	ser Name : admin				
F	Password : Mydlink				
mydlink Account					
You have not active	ated mydlink service.	Status : Not Connected Configure			
Save my network settings					



4- Clique nas abas **Advanced > MAC Filtering** e altere os seguintes parâmetros.

Product Page : DIR-905L Hardware Version : Ax Firmware Version : 1.00							
D-Lin	k				\prec		
DIR-905L	SETUP	ADVANCED	MAINTENANCE	STATUS	HELP		
Advanced Port Forwarding Rules	MAC FILTERING				Helpful Hints		
Application Rules	The MAC (Media Access MAC Address of the netw	Create a list of MAC addresses that you					
MAC Filtering	network adapter. This fe	would either like to allow or deny access to					
ACL filter	Save Settings	Don't Save Settings]		your network.		
Traffic Control							
Firewall & DMZ	obta						
Advanced Wireless Settings	Turn MAC Filtering ON and	server will be in the DHCP Client List. Select					
Advanced Network Settings	Remaining number of rule	s that can be created : 24			a device from the drop down menu, then click		
Routing	MAC Address	DHCP Client I	ist Computer Name	Schedule	device's MAC address		
Logout	5c:d9:98:58:bf:ea	< Computer Name	▼ pa-5078	Always 👻 Add New	to the list.		
		Computer Name	•	Always 👻 🛛 Add New	More		
		< Computer Name	•	Always - Add New			
		Computer Name	-	Always			
		< Computer Name	-	Always 👻 🛛 Add New			
		Computer Name	•	Always 👻 🛛 Add New			
		< Computer Name	•	Always - Add New			

D-Link

Turn MAC Filtering OFF: Desabilita a função das regras

Turn MAC Filtering ON and ALLOW Computers listed to access the network: Somente os computadores listados na regra terão acesso à internet.

Turn MAC Filtering ON and DENY Computers listed to access the network: Somente os computadores listados na regra NÃO terão acesso à internet Clique em Save Settings para salvar as configurações.

Observação importante

Quando for fazer um bloqueio ou permitir o acesso por **MAC Address** faça primeiro a permissão para o computador que está configurando o equipamento no momento, pois caso faça a permissão de outro computador apenas o que foi permitido vai acessar as telas de configuração do Roteador.



Suporte Técnico www.dlink.com.br/suporte